

Quartz is the second most abundant **mineral** in the **Earth's continental crust**, after **feldspar**. It is made up of a continuous framework of  $\text{SiO}_4$  **silicon–oxygen tetrahedra**, with each oxygen being shared between two tetrahedra, giving an overall formula  $\text{SiO}_2$ .

There are many different varieties of quartz, several of which are semi-precious **gemstones**. Especially in Europe and the Middle East, varieties of quartz have been since antiquity the most commonly used minerals in the making of **jewelry** and **hardstone carvings**.


The word "quartz" is derived from the **German** word "quarz", which was imported from **Middle High German**, "twarc", which originated in **Slavic** (cf. Czech tvrdý ("hard"), Polish twardy ("hard"), Russian твёрдый ("hard")), from Old Church Slavonic тврѣдь ("firm"), from Proto-Slavic \*tvьrdь.<sup>[6]</sup>

Contents[hide]


- 1 Crystal habit
- 2 (Microscopic) crystal structure
- 3 Varieties (according to color)
  - 3.1 Citrine
  - 3.2 Rose quartz
  - 3.3 Amethyst
  - 3.4 Smoky quartz
  - 3.5 Milky quartz
- 4 Varieties (according to microstructure)
- 5 Synthetic and artificial treatments
- 6 Occurrence
- 7 Related silica minerals
- 8 History
- 9 Piezoelectricity
- 10 Gallery of quartz mineral specimens from around the world
- 11 See also
- 12 Notes
- 13 External links

## Crystal habit

[edit]



Crystal structure of  $\alpha$ -quartz



$\beta$ -quartz

Quartz belongs to the **trigonal crystal system**. The **ideal crystal shape** is a six-sided **prism** terminating with six-sided **pyramids** at each end. In nature quartz crystals are often **twinned**, distorted, or so intergrown with adjacent crystals of quartz or other minerals as to only show part of this shape, or to lack obvious crystal faces altogether and appear massive. Well-formed crystals typically form in a 'bed' that has unconstrained growth into a void, but because the crystals must be attached at the other end to a matrix, only one termination pyramid is present. A quartz **geode** is such a situation where the void is approximately spherical in shape, lined with a bed of crystals pointing inward.

At surface temperatures and pressures, quartz is the most stable form of silicon dioxide. Quartz will remain stable up to 573 °C at 1 **kilobar** of pressure. As the pressure increases the temperature at which quartz will lose stability also increases.

Above 1300 °C and at a pressure of approximately 35 kilobars, only  $\beta$ -quartz is stable. The latter is not the same as normal quartz (or  $\alpha$ -quartz), low quartz or just quartz.  $\beta$ -quartz has higher symmetry, is less dense and has a slightly lower specific gravity. The conversion, from one solid substance to another solid substance, of quartz to  $\beta$ -quartz is quick, reversible and accompanied with a slight energy absorption. The conversion is so easily accomplished that when a crystal of quartz is heated to  $\beta$ -quartz, cooled back down, heated again to  $\beta$ -quartz, etc., the quartz will be the same as when it started.

The reason that the conversion is so easily accomplished is that the difference between quartz and  $\beta$ -quartz is relatively slight. The bonds between the oxygen and silicon atoms are "kinked" or bent in quartz and are not so "kinked" in  $\beta$ -quartz. At the higher temperatures the atoms move away from each other just enough to allow the bonds to unkink or straighten and produce the higher symmetry. As the temperature is lowered, the atoms close in on each other and the bonds must kink in order to be stable and this lowers the symmetry back down again.

Although all quartz at temperatures lower than 573 °C is low quartz, there are a few examples of crystals that obviously started out as  $\beta$ -quartz. Sometimes these are labeled as  $\beta$ -quartz but are actually examples of pseudomorphic or "falsely shaped" crystals more correctly labeled 'quartz after  $\beta$ -quartz'. These crystals are of higher symmetry than low quartz although low quartz can form similar crystals to them. They are composed of hexagonal dipyramids which are a pair of opposing six sided pyramids and the crystals lack prism faces. Quartz's typical termination is composed of two sets of three rhombic faces that can look like a six sided pyramid.

## (Microscopic) crystal structure

[edit]

$\alpha$ -quartz crystallizes in the trigonal crystal system, space group  $P3_121$  and  $P3_221$  respectively.  $\beta$ -quartz belongs to the hexagonal system, space group  $P6_221$  and  $P6_421$ , respectively.<sup>[7]</sup> These spacegroups are truly chiral (they each belong to the 11 enantiomorphous pairs). Both  $\alpha$ -quartz and  $\beta$ -quartz are examples of chiral crystal structures composed of achiral building blocks ( $\text{SiO}_4$  tetrahedra in the present case). The transformation between  $\alpha$ - and  $\beta$ -quartz only involves a comparatively minor rotation of the tetrahedra with respect to

one another, without change in the way they are linked.

## Varieties (according to color)

[edit]

Pure quartz, traditionally called rock crystal (sometimes called clear quartz), is colorless and **transparent** (clear) or **translucent**, and has often been used for **hardstone carvings**, such as the **Lothair Crystal**. Common colored varieties include citrine, rose quartz, **amethyst**, smoky quartz, milky quartz, and others. Quartz goes by an array of different names. The most important distinction between types of quartz is that of *macrocrystalline* (individual crystals visible to the unaided eye) and the *microcrystalline* or *cryptocrystalline* varieties (aggregates of crystals visible only under high magnification). The cryptocrystalline varieties are either translucent or mostly opaque, while the transparent varieties tend to be macrocrystalline. **Chalcedony** is a cryptocrystalline form of silica consisting of fine intergrowths of both quartz, and its **monoclinic** polymorph **moganite**.<sup>[8]</sup> Other opaque gemstone varieties of quartz, or mixed rocks including quartz, often including contrasting bands or patterns of color, are **agate**, **sard**, **onyx**, **carnelian**, **heliotrope**, and **jasper**.

## Citrine

[edit]



Citrine

"Citrine" redirects here. For other uses, see *Citrine (disambiguation)*.

Citrine is a variety of quartz whose color ranges from a pale yellow to brown. Natural citrines are rare; most commercial citrines are heat-treated **amethysts** or **smoky quartzes**. It is nearly impossible to tell cut citrine from yellow **topaz** visibly, but they differ in hardness. Citrine has **ferric** impurities, and is rarely found naturally. **Brazil** is the leading producer of citrine, with much of its production coming from the state of **Rio Grande do Sul**. The name is derived from **Latin** citrina which means "yellow" and is also the origin of the word "citron." Sometimes citrine and amethyst can be found together in the same crystal and is referred to as ametrine.<sup>[9]</sup>

Citrine is one of three traditional **birthstones** for the month of November.

## Rose quartz

[edit]



An elephant carved in rose quartz, 4 inches (10 cm) long

Rose quartz is a type of quartz which exhibits a pale pink to rose red hue. The color is usually considered as due to trace amounts of **titanium**, **iron**, or **manganese**, in the massive material. Some rose quartz contains microscopic **rutile** needles which produces an **asterism** in transmitted light. Recent **X-ray diffraction** studies suggest that the color is due to thin microscopic fibers of possibly **dumortierite** within the massive quartz.<sup>[10]</sup>

In crystal form (rarely found) it is called pink quartz and its color is thought to be caused by trace amounts of **phosphate** or **aluminium**. The color in crystals is apparently photosensitive and subject to fading. The first crystals were found in a **pegmatite** found near **Rumford, Maine, USA**, but most crystals on the market come from **Minas Gerais, Brazil**.<sup>[11]</sup>

Rose quartz is not popular as a gem – it is generally too clouded by impurities to be suitable for that purpose. Rose quartz is more often carved into figures such as people or hearts. Hearts are commonly found because rose quartz is pink and an affordable mineral.

## Amethyst

[edit]



Amethyst. Magaliesburg, South Africa

*Main article: Amethyst*

Amethyst is a popular form of quartz that ranges from a bright to dark or dull purple color.

## Smoky quartz

[edit]

Smoky quartz is a gray, translucent version of quartz. It ranges in clarity from almost complete transparency to a brownish-gray crystal that is almost opaque. Some can also be black.



Smoky quartz

## Milky quartz

[edit]

Milky quartz or milky quartz may be the most common variety of crystalline quartz and can be found almost anywhere. The white color may be caused by minute **fluid inclusions** of gas, liquid, or both, trapped during the crystal formation. The cloudiness caused by the inclusions effectively bars its use in most optical and quality gemstone applications.<sup>[12]</sup>

## Varieties (according to microstructure)

Although many of the varietal names historically arose from the color of the mineral, current scientific naming schemes refer primarily to the microstructure of the mineral. Color is a secondary identifier for the cryptocrystalline minerals, although it is a primary identifier for the macrocrystalline varieties. This does not always hold true.

Major varieties of quartz

<b>Chalcedony</b>	Cryptocrystalline quartz and moganite mixture. The term is generally only used for white or lightly colored material. Otherwise more specific names are used.
-------------------	---

<a href="#">Agate</a>	Multi-colored, banded chalcedony, semi-translucent to translucent
<a href="#">Onyx</a>	Agate where the bands are straight, parallel and consistent in size.
<a href="#">Jasper</a>	Opaque cryptocrystalline quartz, typically red to brown
<a href="#">Aventurine</a>	Translucent chalcedony with small inclusions (usually mica) that shimmer.
<a href="#">Tiger's Eye</a>	Fibrous gold to red-brown colored quartz, exhibiting <a href="#">chatoyancy</a> .
Rock crystal	Clear, colorless
<a href="#">Amethyst</a>	Purple, transparent
<a href="#">Citrine</a>	Yellow to reddish orange to brown, greenish yellow
<a href="#">Prasiolite</a>	Mint green, transparent
Rose quartz	Pink, translucent, may display <a href="#">diasterism</a>
Rutilated quartz	Contains <a href="#">acicular</a> (needles) <a href="#">inclusions of rutile</a>
Milk quartz	White, translucent to opaque, may display <a href="#">diasterism</a>
<a href="#">Smoky quartz</a>	Brown to gray, opaque
<a href="#">Carnelian</a>	Reddish orange chalcedony, translucent
Dumortierite quartz	Contains large amounts of <a href="#">dumortierite</a> crystals



Milky quartz sample



Ancient Roman [cameo onyx engraved gem of Augustus](#)

## Synthetic and artificial treatments

Not all varieties of quartz are naturally occurring. [Prasiolite](#), an olive colored material, is produced by heat treatment; natural prasiolite has also been observed in Lower Silesia in Poland. Although [citrine](#) occurs naturally, the majority is the result of heat-treated amethyst. [Carnelian](#) is widely heat-treated to deepen its color.

Due to natural quartz being so often [twinned](#), much of the quartz used in industry is synthesized. Large, flawless and untwinned crystals are produced in an [autoclave](#) via the [hydrothermal process](#); [emeralds](#) are also synthesized in this fashion. While these are still commonly referred to as quartz, the correct term for this material is [silicon dioxide](#).

## Occurrence

Quartz is an essential constituent of [granite](#) and other [felsic igneous rocks](#). It is very common in [sedimentary rocks](#) such as [sandstone](#) and [shale](#) and is also present in variable amounts as an accessory mineral in most [carbonate rocks](#). It is also a common constituent of [schist](#), [gneiss](#), [quartzite](#) and other [metamorphic rocks](#). Because of its resistance to [weathering](#) it is very common in stream sediments and in residual [soils](#). Quartz, therefore, occupies the lowest potential to weather in the [Goldich dissolution series](#).

Quartz occurs in [hydrothermal veins](#) as [gangue](#) along with [ore](#) minerals. Large crystals of quartz are found in [pegmatites](#). Well-formed crystals may reach several meters in length and [weigh](#) hundreds of kilograms.

Naturally occurring quartz crystals of extremely high purity, necessary for the crucibles and other equipment used for growing silicon wafers in the [semiconductor](#) industry, are expensive and rare. A major mining location for high purity quartz is the Spruce Pine Gem Mine in [Spruce Pine, North Carolina, United States](#).<sup>[13]</sup>

## Related silica minerals

[Tridymite](#) and [cristobalite](#) are high-temperature [polymorphs](#) of SiO<sub>2</sub> that occur in high-silica [volcanic](#) rocks. [Coesite](#) is a denser polymorph of quartz found in some meteorite impact sites and in metamorphic rocks formed at pressures greater than those typical of the Earth's crust. [Stishovite](#) is a yet denser and higher-pressure polymorph of quartz found in some meteorite impact sites. [Lechatelierite](#) is an [amorphous](#) silica [glass](#) SiO which is formed by [lightning](#) strikes in quartz [sand](#).



A synthetic quartz crystal grown by the [hydrothermal method](#), about 19 cm long and weighing about 127 grams

## History

[\[edit\]](#)

The word "quartz" comes from the German  *Quarz* (help·info),<sup>[14]</sup> which is of Slavic origin (Czech miners called it *křemen*). Other sources attribute the word's origin to the Saxon word *Querkluffertz*, meaning *cross-vein ore*.<sup>[15]</sup>

Quartz is the most common material identified as the mystical substance *maban* in Australian Aboriginal mythology. It is found regularly in passage tomb cemeteries in Europe in a burial context, such as *Newgrange* or *Carrowmore* in the Republic of Ireland. The Irish word for quartz is *grian cloch*, which means 'stone of the sun'.


While *jade* has been since earliest times the most prized semi-precious stone for carving in East Asia and Pre-Columbian America, in Europe and the Middle East the different varieties of quartz were the most commonly used for the various types of jewelry and hardstone carving, including engraved gems and cameo gems, rock crystal vases, and extravagant vessels. The tradition continued to produce objects that were very highly valued until the mid-19th century, when it largely fell from fashion except in jewelry. Cameo technique exploits the bands of color in onyx and other varieties.

Roman naturalist Pliny the Elder believed quartz to be water *ice*, permanently frozen after great lengths of time. (The word "crystal" comes from the Greek word *κρύσταλλος*, "ice".) He supported this idea by saying that quartz is found near glaciers in the Alps, but not on volcanic mountains, and that large quartz crystals were fashioned into spheres to cool the hands. He also knew of the ability of quartz to split light into a spectrum. This idea persisted until at least the 1600s.

In the 17th century, Nicolas Steno's study of quartz paved the way for modern crystallography. He discovered that no matter how distorted a quartz crystal, the long prism faces always made a perfect 60° angle.

Charles B. Sawyer invented the commercial quartz crystal manufacturing process in Cleveland, Ohio, United States. This initiated the transition from mined and cut quartz for electrical appliances to manufactured quartz.

Quartz's piezoelectric properties were discovered by Jacques and Pierre Curie in 1880. The quartz oscillator or resonator was first developed by Walter Guyton Cady in 1921.<sup>[16]</sup> George Washington Pierce designed and patented quartz crystal oscillators in 1923.<sup>[17]</sup> Warren Marrison created the first quartz oscillator clock based on the work of Cady and Pierce in 1927.<sup>[18]</sup>



Fatimid carved rock crystal (clear quartz) vase, c. 1000



Quartz crystal showing transparency

## Piezoelectricity

[\[edit\]](#)

Quartz crystals have piezoelectric properties; they develop an electric potential upon the application of mechanical stress. An early use of this property of quartz crystals was in phonograph pickups. One of the most common piezoelectric uses of quartz today is as a crystal oscillator. The quartz clock is a familiar device using the mineral. The resonant frequency of a quartz crystal oscillator is changed by mechanically loading it, and this principle is used for very accurate measurements of very small mass changes in the quartz crystal microbalance and in thin-film thickness monitors.

## Gallery of quartz mineral specimens from around the world

[\[edit\]](#)

Quartz scepters



Locality: Slovakia. Size: 3x2.1x0.7 cm.



A very unusual scepter: translucent,



An unusual scepter, from Pennoyer Amethyst

pastel-[amethystine](#) quartz atop a terminated shaft of translucent, green, [hedenbergite](#)-included quartz. Locality: Mega Horio, [Serifos, Cyclades](#), Greece. Size: 15.3×3.8×3.7 cm.

Mine, [Red Feather Lakes, Colorado](#), USA. Size: 4.5×2.3×1.9 cm.

#### Amethystine quartz



Slice of [amethyst](#) from an unusual [stalactite](#), [Jalgaon District, Maharashtra](#), India. Size: 8.2×7.5×0.3 cm.



Slice through a star-shaped stalactite from [Artigas, Uruguay](#). Size: 7.1×6.6×0.5 cm.



An unusual tabular amethyst crystal, from [Brandberg District, Erongo Region, Namibia](#). Detail, overall size: 5.7×1.8×1.6 cm.

#### Citrines



Citrine, [Boekenhoutshoek area, Mpumalanga Province](#), South Africa. Size: 9.1×4.8×4.2 cm.



Cluster of citrine crystals from a [geode](#)



"Citrine" made by heating [amethyst](#)